## CONTENTS - VOLUME XIV, 1988

.1	Monobactam antibiotics in subinhibitory concentrations enhance opsonophagocytosis and serum bacteriolysis in certain <i>Escherichia coli</i> strains  VERINGA E., BOX A., ROZENBERG-ARSKA M., VERHOEF J.
	In-vitro activity of antifungal agents in combination with four quinolones PETROU M.A., ROGERS T.R.
	Itraconazole: increased activity by chlorhexidine SIMONETTI N., D'AURIA F.D., STRIPPOLI V., LUCCHETTI G.
	On the kinetic interaction between ceftriaxone and some \$\beta\$-lactamases  AMICOSANTE G., MACCARRONE M., FRANCESCHINI N., OLIVA B., SEGATORE B.  ORATORE A.
	Detectability and measurability of amoscanate in plasma by TLC and HPLC KOFI-TSEKPO W.M., KAREKEZI C.W.
	A pharmacokinetic study of clofoctol in human plasma and lung tissue by using a microbiologica assay  DANESI R., GASPERINI M., SENESI S., FREER G., ANGELETTI C.A., DEL TACCA M.
	Experience with antimicrobial combinations in urinary tract infections SABBOUR M.S., OSMAN L.M.
	Binding profile of trazodone and dapiprazole to some brain receptors VALERI P., PALMERY M., SILVESTRINI B.
	Glutamergic transmission and cardiovascular apparatus in normotensive rats  LAMPA E., BERRINO L., SUSANNA V., ANGRISANI M., MARRAZZO R., MAIONE S.  DE SANTIS D., FICI F., MARMO E.
	Effects of L-acetylcarnitine treatment and its interruption on dentate gyrus synapses in ageing ra hippocampus BADIALI DE GIORGI L., BONVICINI F., BIANCHI D., BOSSONI G., LASCHI R
242	Introduction
. 2/3	A new approach to the treatment of hypertensive disease  CLOSTRE F., BRAQUET P.
	General pharmacology of cicletanine CLOSTRE F., ETIENNE A.
	Comparison of cicletanine with other antihypertensive drugs in SHR-SP models MALHERBE E., LE HEGARAT M., CLOSTRE F., BRAQUET P.
	In vivo and in vitro effects of cicletanine in spontaneously hypertensive rats  AUGUET M., GUILLON J.M., DELAFLOTTE S., LE HEGARAT M., PIROTZKY E., CLOSTRE F., BRAQUET P.
	Antihypertensive effect of non-diuretic doses of cicletanine on a stress-induced model in the rat CASTRO A, FLORENTINO A, FUENTES JA
	Phosphoinositides and cicletanine MARCHE P., GIRARD A
	A patch-clamp study of the effects of cicletanine on whole-cell calcium current in ventricular myocytes GISBERT MP., MERY PF., FISCHMEISTER R.
	Cicletanine and eicosanoids in cultured vascular smooth muscle cells DORIAN B., DARET D., BRAQUET P., LARRUE J.
	Modulation of <i>in vivo</i> generation of prostanoids by drugs affecting membrane ion transport DEBY C., BOURGAIN R.H., DEBY-DUPONT G., PINCEMAIL J., GARAY R.P., BRAQUET P.
	Enhancement of prostacyclin generation by cicletanine (an in vivo investigation) BOURGAIN R.H., DEBY C.
	The role of histamine in the cardiovascular system

## Contents Index

In vitro cardiovascular antihistamine properties of cicletanine in comparison with diphenhydramine AUGUET M., DELAFLOTTE S., HELLEGOUARCH A., GUILLON J.M., BARANES J., PIROTZKY E., CLOSTRE F., BRAQUET P.	149
Inhibition of histamine-induced Ca** efflux in cultured vascular smooth muscle cells by an antihypertensive drug, cicletanine LONCHAMPT M.O., GOULIN J., CHABRIER P.E., BRAQUET P.	155
Antihistaminic properties of cicletanine in human isolated coronary arteries SCHOEFFTER P., GODFRAIND T.	159
Effects of cicletanine in the left circumflex coronary artery occlusion-reperfusion canine model of sudden death: analysis of 107 experiments using Cox's proportional hazards model JOUVE R, PUDDU P-E, LANGLET F, LANTI M, GUILLEN JC., ROLLAND PH., SERRADIMIGNI A.	167
Clinical pharmacokinetics of cicletanine hydrochloride FREDJ G.	181
Pharmacokinetics of cicletanine in patients with impaired renal function JUNGERS P.	189
Review of three studies to determine the efficacy and tolerance of cicletanine in the short- and long-term treatment of essential hypertension FODOR G.P., GUINOT Ph.	195
Efficacy and tolerance of cicletanine, a new antihypertensive agent: overview of 1226 treated patients. TARRADE T. GUINOT Ph.	205
Study of the effects of cicletanine on the renin-angiotensin-aldosterone system BIPPI H. GUINOT Ph.	215
Haemodynamic effects of an antihypertensive diuretic substance on the forearm circulation of patients with essential hypertension BOUTHER JA, SAFAR ME, DESCHAMPS E, TARRADE T.	221
The effects of cicletanine, a new antihypertensive compound, on the flare and weal response to histamine DEWLAND P.M. WRIGHT T.	225
Prostatic tissue concentrations and serum levels of Myocamicin in human subjects FRASCHINI F., SCAGLIONE F., CICCHETTI F., ROSSI M., BORGHI C., ALFANO G., MAIERNA	231
	253
755 system by guanosine 5'-monophosphate IIGO M., YAMAIZUMI Z., NAKAJIMA., NISHIMURA S., HOSHI A	257
Further studies on the pharmacodynamic properties and organ selectivity of octylonium bromide MANZINI S., MAGGI C.A., PARLANI M., SUBISSI A., MELI A	265
Age-dependent stimulation of assembly and of membrane-association of polysomes in rat brain after treatment with xanthine derivatives in vivo STEFANOVICH V., SCHRÖDER H.C., STEFFEN R., MÜLLER W.E.G.	271
Use of extract of <i>Ruscus aculeatus</i> in venous diease in the lower limbs CAPPELLI R., NICORA M., DI PERRI T.	277
A long-term study on the use of evening primrose oil (Efamol) in atopic children BIAGI P.L., BORDONI A., MASI M., RICCI G., FANELLI C., PATRIZI A., CECCOLINI E	285
Evening primrose oil (Elamol) in the treatment of children with atopic eczema BORDONI A., BIAGI P.L., MASI M., RICCI G., FANELLI C., PATRIZI A., CECCOLINI E	291
Letter to the Editor:  Xanthine derivatives: could a further study of the mechanisms of action yield new therapeutic agents?	
STEFANOVICH V.	299

No. 5	Leukotriene receptor antagonists. III. Pharmacological and chemical studies with LY137617, a leukotriene $D_a$ and leukotriene $E_4$ receptor antagonist	
	HERRON D.K., WHITESITT C.A., MALLET B.E., RINKEMA L.E., HAISCH K.D., FLEISCH J.H	30
	Immunopharmacological studies of new 3-benzoyl-4-mercaptobutyric acid derivatives. II. Immuno- suppressive effects	•
	TAKESHITA K., FUKAZAWA I., NAKAIKE S., KAMEO K., TOMISAWA K., OTOMO S., AIHARA H.  Comparative study on effects of 14- and 16-membered macrolides on gastrointestinal motility in	31
	unanaesthetized dogs NAKAYOSHI T., IZUMI M., SHINKAI S., FUJITA M.	31
	Therapeutic efficacy of ofloxacin, ciprofloxacin and NY-198 in experimentally infected normal and alloxan-induced diabetic mice OBANA Y., NISHINO T.	32
	In vitro influence of charcoal on ciprofloxacin activity TORRE D., SAMPIETRO C., QUADRELLI C., BIANCHI W., MAGGIOLO F., OHNMEISS H	33
	The kinetics of SHV-2 plasmid-mediated $\beta$ -lactamase compared to those of the parent enzyme from which it is derived	
	Labia R., Morand A., Tiwari K., Pitton J.S., Sirot D., Sirot J., Ben Yaghlane H., Boujenah A	33
	Itraconazole activity against fungal germination STRIPPOLI V., SIMONETTI N., RETICO A., LUCCHETTI G.	34
	Effect of teomorfolin [N-(7'-theophylline acetyl)morpholine], a new drug, on dislipidaemic conditions induced in the rat FRANZONE J.S., CIRILLO R., REBOANI M.C., TORRIELLI M.V., PERNIGOTTI L.M	24
	Electrophysiological effects of the new cardioactive drug CERM 4205: A comparative study in an	34
	animal model and in man BRUGADA J., LAMAR J.C., BOISSON P., MASSE CH., PUECH P., SASSINE A	35
	Activation of antioxidant activity in natural medicinal products by heating, brewing and lipophiliza- tion. A new drug delivery system	
	NIWA Y., KANÔH T., KASAMA T., NEGISHI M.	36
No. 6	Correlation of in vitro activities of the fluoroquinolones to their in vivo efficacies FERNANDES P.B., SWANSON R.N.	37
	Structure-activity relationships in quinolone antibacterials: Design, synthesis and biological activities of novel isothiazoloquinolones CHU D.T.W., FERNANDES P.B., CLAIBORNE A.K., SHEN L., PERNET A.G.	379
	Gaps and perspectives of new fluoroquinolones NEUMAN M., ESANU A	
	Safety profile of offoxacin in elderly patients FOSTINI R., GIRELLI M., DALLE VEDOVE P., BENEDETTI M., RECCHIA G	393
	Mode of action of BO-1341: Transport pathway through the outer membrane of Escherichia coli SANADA M., HASHIZUME T., MATSUDA K., NAKAGAWA S., TANAKA N	397
	Trospectomycin, a novel spectinomycin analogue: Antibacterial activity and preliminary human pharmacokinetics	
	ZURENKO G.E., FORD C.W., NOVAK E	103

## Contents Index

	Bacteriological and clinical evaluation of celotetan in the treatment of severe infections in hospitalized patients  ROMANELLI G., AGABITI-ROSEI E., GIUSTINA A., GUARNERA L., MUIESAN M.L., PELIZZARI G., TURANO A.	411
	HPLC reveals famotidine in the urine up to five days after a single 20 mg oral dose BOLOGNA M., NAPOLITANO T., BIORDI L., CARLUCCI G.	419
	Time-course of anti-Xa effects of calcium heparin and low-molecular-weight heparin given s.c.: Insights for thrombosis prevention ROMEO G., SALANITRI G., CATANIA G.	423
No. 7	Antitumour activity of new semi-synthetic anthracyclines containing fluorotalopyranose UMEZAWA K., TAKEUCHI T., KOMURO K., NOSAKA C., KUNIMOTO S., TSUCHIYA T., TAKAGI Y., UMEZAWA S., UMEZAWA H	429
	Biological properties of ME2303 (FAD-104), a new anthracycline OMOTO S., KONDO S., FUKATSU S., TAKEUCHI T., UMEZAWA K., TSUCHIYA T., UMEZAWA S.	435
	Effect of dosing intervals on efficacy of clarithromycin and erythromycin in mouse infection models FERNANDES P.B., SWANSON R.N., HARDY D.J., MCDONALD E.J., RAMER N	441
	Comparative in vitro potencies of nine new macrolides FERNANDES P.B., HARDY D.J.	445
	5-Amino-7-(3-amino-1-pyrrolidinyl)-1-cyclopropyl-6,8-difluoro-1,4-dihydro-4-oxo-3-quinoline- carboxylic acid (PD 124,816). Synthesis and biological evaluation of a new class of quinolone antibacterials DOMAGALA J.M., HAGEN S.E., HUTT M.P., SANCHEZ J.P., SESNIE J., TREHAN A.K	453
	Antifungal peptides with novel specific inhibitors of glucosamine 6-phosphate synthase MILEWSKI S., CHMARA H., ANDRUSZKIEWICZ R., BOROWSKI E., ZAREMBA M., BOROWSKI J	461
	Unique mechanism of action of an antifungal antibiotic RI-331 YAMAKI H., YAMAGUCHI M., NISHIMURA T., SHINODA T., YAMAGUCHI H.	467
	Arginine 2-mercaptoethane sulfonate and sodium 2-mercaptoethane sulfonate: A comparative study of their effects upon turnour cells MAGNOLFI ZIPOLI G, D'ANCONA S., BERTI T	473
	Doxofylline and theophylline are xanthines with partly different mechanisms of action in animals FRANZONE J.S., CIRILLO R., BARONE D.	
	Aceclofenac and paracetamol in episiotomal pain YSCLA A	491
No. 8	Celpodoxime proxetil, its <i>in vitro</i> antibacterial activity, affinity to bacterial penicillin-binding proteins, and synergy of bactericidal activity with serum complement and mouse-cultured macrophages YOKOTA T., SUZUKI E., ARAI K.	495
	Mucoid and pigmentation characters can be suppressed by non-anti-Pseudomonas aeruginosa antibiotics in cystic fibrosis: A report of promising preliminary results LAPOINTE JR., BOURGET C., LAFLEUR L., LAGACÉ J., MONTPLAISIR S.	501

Development of gentamicin resistance in Gram-negative bacteria in Czechoslovakia and correlation with its usage KETTNER M., KRČMĖRY V
Experimental and clinical evaluation of the biliary pharmacokinetic profile of celpiramide, a new cephalosporin with high hepatic elimination BROGARD J.M., JEHL F., BLICKLE J.F., ARNAUD J.P., MONTEIL H.
In vitro and clinical evaluation of ofloxacin in urinary tract infection and enteric fever TANPHAICHITRA D., SRIMUANG S.
Antibacterial activity after a single-dose of norfloxacin, ofloxacin and pipernidic acid detected in urine of volunteers CRUCIANI M., MONZILLO V., NAVARRA A., TINELLI C., CONCIA E
Absence of crystalluria and estimation of renal parameters after oral and intravenous ofloxacin as compared to placebo in healthy volunteers  VERHO M., MALERCZYK V., GRÖTSCH H., LORENZ H.
Pharmacokinetic profile of cefotetan in different clinical conditions FRASCHINI F., SCAGLIONE F., MEZZETTI M., MERONI M., CICCHETTI F., SCARPAZZA P., SCARPAZZA G
Imipenem versus standard therapy in the treatment of serious soft tissue infection GOULD I.M., HUDSON M., MORRIS J., PAGE G., DOUGLAS J.G., SMITH C.C., REID T.M.S
Multidisciplinary approach to the therapy of chonic sinusitis  BASSETTI D., CONCIA E., SOLBIATI M., SAMPIETRO M.
Pretreatment with ICRF-187 allows a marked increase in the total cumulative dose of doxorubicin tolerated by beagle dogs
HERMAN E.H., FERRANS V.J., YOUNG R.S.K., HAMLIN R.L.
A new antitumour agent, batracylin, selected by a preclinical solid tumour model ATASSI G., DUMONT P., KABBE H.J., YODER O
Inhibition of biosynthetic processes in P388 and Ehrlich ascites cells by cloturin MIKO M., KREPELKA J., MELKA M.
Bivalent ligand type β-adrenolytics related to practolol RAMPA A., DA RE P., VALENTI P., FRIGENI V., SALA R., DELLA BELLA D
Effect of felodipine in refractory hypertension SEIDEMAN P., EKEROTH M., ÖSTMAN J.
Effect of long-term treatment with acetyl-L-carnitine on structural changes of ageing rat brain RAMACCI M.T., DE ROSSI M., LUCREZIOTTI M.R., MIONE M.C., AMENTA F
Endogenous cardiac glycoside-like substances in newborns, adults, pregnant women and patients
with hypertension or renal insufficiency CLERICO A., BALZAN S., DEL CHICCA M.G., PACI A., COCCI F., BERTELLI A

## Contents Index

No. 10	In vitro activity of azithromycin (CP-62,993), a novel macrolide, against enteric pathogens JONES K., FELMINGHAM D., RIDGWAY G.	61
	The in vitro activity of ramoplanin (A-16686/MDL 62.198), vancomycin and teicoplanin against methi-	-
	cillin-susceptible and methicillin-resistant Staphylococcus spp.	
	O'HARE M.D., FELMINGHAM D., GRÜNEBERG R.N.	61
	In vitro anti-leishmanial activity of compounds in current clinical use for unrelated diseases NEAL R.A., ALLEN S.	62
	Effect of subminimal inhibitory concentrations of peffoxacin on the piliation and adherence of E. coli DESNOTTES J.F., LE ROY D., DIALLO N.	62
	Effects of five antibiotics on adhesion and haemagglutinating properties of <i>Pseudomonas aerugi-</i> nosa isolated from cystic fibrosis patients  MARTY N., LAPCHINE L., DOURNES J.L., AGUEDA L., CHABANON G	63
	A high performance liquid chromatography method for the determination of FCE 22101, a novel penem antimicrobial, in serum BASKERVILLE A.J., FELMINGHAM D., GRÜNEBERG R.N.	64
	A micromethod for determination of antimicrobial agents in bone	
	HEIMDAHL A., CARS O., HEDBERG M., MOVIN G., NORD C.E.	64
	A study of Fucidin uptake in ischaemic tissues KENDALL S.W., ANTRUM R.M., RAMSDEN C.H., KESTER R.C.	65
	Clinical and microbiological effects of <i>in vivo</i> miocamycin therapy on oral infections and in surgical prophylaxis  DE LUCA M.	65
	Clinical efficacy of carumonam DRABU YJ., MEHTAR S., BLAKEMORE P.H.	66
	Cinoxacin vs trimethoprim - safety and efficacy in the prophylaxis of uncomplicated urinary tract infections SEPPÄNEN J	66
No. 11	Antisecretory effect of a PGE <sub>2</sub> derivative, enprostil (TA/RS-84135): Inhibitory action of amogastrin- stimulated secretion KOHLI Y., KATOH T., SUZUKI K	671
	Pharmacokinetics and renal accumulation of three iodinated contrast agents. A comparative study of Telebrix®, Hexabrix® and Omnipaque® in the rabbit	
	MORIN J.P., BOUTELET I., TOUTAIN H., FILLASTRE J.P.	679
	Bis-arenoxypropanolamines as potential β-adrenolytics: A reinvestigation DA RE P., VALENTI P., FABBRI G., FRIGENI V., REGGIANI A., DELLA BELLA D	687
	Effect of erdosteine and its metabolites on tracheobronchial mucus production and transport SCURI R., GIANNETTI P., PAESANO A.	693
	Anti-ischaemic and anti-anginal activity of atenoloi, nifedipine and their combination in stable, chron- ic effort angina	
	LAI C., ONNIS E., PIRISI R., ORANI E., DELOGU G., CHERCHI A.	696

A single-blind study of clocapramine and sulpiride in hospitalized chronic schizophrenic patients YAMAGAMI S., KIRIIKE N., KAWAGUCHI K.	
Pathological brain ageing: Evaluation of the efficacy of a pharmacological aid GUARNASCHELLI C., FUGAZZA G., PISTARINI C.	****
Inhibition of human immunodeliciency virus-associated reverse transcriptase by aminoacridines ATSUMI S., MURAOKA Y., NOGAMI T., HOSHINO T., TAKEUCHI T., UMEZAWA K	*****
Calyculins, potent antitumour metabolites from the marine sponge <i>Discodermia calyx:</i> Biologic activities  KATO Y., FUSETANI N., MATSUNAGA S., HASHIMOTO K.	
Biology and mode of action of pure antioestrogens WAKELING A.E., BOWLER J.	****
The relevance of <i>in vitro</i> measurements of opsonophagocytosis to the study of antibiotic-PMN bacterium interactions <i>in vivo</i> GEMELL C.G.	
In vitro activity of antimicrobial agents against mycobacteria CASAL M., RODRÍGUEZ F., GUTIERREZ J., RUÍZ P., VILLALBA R	
A new tricyclic fluoroquinolone, rufloxacin (MF-934), with interesting antibacterial and pharmaci kinetic characteristics SERGE G., CERRETANI D., CERRI D., MOLTONI L.	
Some pharmacokinetic data on miocamycin. I: Serum, urinary and prostatic levels FURNERI P.M., SCALIA G., GAROZZO A., TEMPERA G	
Systemic perioperative prophylaxis in elective oncological colorectal surgery: Celotetan versu clindamicin plus aztreonam BELLANTONE R., PACELLI F., SOFO L., DOGLIETTO G.B., BOSSOLA M., RATTO C., CRUCITTI F.	
Contents index (1988)	****
Author index (1988)	